

Appendix: Drill Results

Table 1: Camino Rojo Layback Program Composite Drill Results (Composites 0.2g/t Au cog)

HOLE-ID	From (m)	To (m)	Core Length (m)	Estimated True Width (m)	Au g/t	Ag g/t	Cu ppm	Zn ppm	Au GXM	Including 0.2g/t Au COG Outside Pit	Including 1g/t Au COG Outside Pit	Met Code
CRLB23-01	26.40	41.15	14.8									OX
CRLB23-01	49.00	50.50	1.5	1.5	0.24	4.1	63.0	837.0	0.35			OX
CRLB23-01	57.50	131.00	73.5	41.4	0.37	6.0	53.6	1277.7	27.52			57.5 - 99 OX 99 - 116.5 TROH 116.5 - 123.15 TROL 123.15 - 131 TRSX
CRLB23-01	138.50	175.00	36.5	20.4	0.51	11.1	66.6	2901.7	18.77	14m @ 0.9g/t Au	4.25m @ 2.23g/t Au	TRSX
CRLB23-02	86.40	93.95	7.6	7.2	0.73	7.4	36.2	999.0	5.54			OX
CRLB23-02	106.00	125.50	19.5	2.0	0.28	6.3	43.0	1017.8	5.52	12m @ 0.35g/t Au		OX
CRLB23-03	61.00	71.50	10.5	5.9	1.29	8.8	40.3	3033.6	13.50			OX
CRLB23-03	79.00	155.00	76.0	43.1	0.85	20.6	76.6	4501.4	64.74	4.5m @ 0.66g/t Au	1.5m @ 1.25g/t Au	79 - 104.2 OX 104.2 - 120 TROH 120 - 131.4 TROL 131.4 - 155 TRSX
CRLB23-04	67.00	68.50	1.5	1.4	0.22	2.2	29.0	165.0	0.32			OX
CRLB23-04	79.50	84.50	5.0	0.5	0.25	5.9	34.8	1681.0	1.24	1.5m @ 0.34g/t Au		OX
CRLB23-04	90.50	92.00	1.5	0.2	0.27	1.9	55.0	555.0	0.41	1.5m @ 0.27g/t Au		OX
CRLB23-05	58.00	59.50	1.5	1.3	0.29	4.0	39.0	1410.0	0.44			OX
CRLB23-05	68.00	73.50	5.5	4.9	1.59	7.8	79.5	1469.1	8.75			OX
CRLB23-05	84.00	87.00	3.0	2.7	0.31	5.2	48.5	988.5	0.94			OX
CRLB23-05	97.00	115.70	18.7	16.6	1.06	5.9	52.4	1031.0	19.74			97 - 105 OX 105 - 115.7 SX 127.5 - 145.1 TROL 145.1 - 147.3 OX 147.3 - 150 TROH
CRLB23-05	127.50	150.00	22.5	19.9	0.92	16.6	82.2	3114.2	20.78			OX OX OX OX
CRLB23-06	39.00	42.00	3.0	2.7	0.77	1.8	22.0	595.5	2.32			OX
CRLB23-06	52.50	60.00	7.5	5.4	0.29	4.6	48.4	644.8	2.15			OX
CRLB23-06	69.00	70.50	1.5	1.1	0.43	5.3	49.0	1065.0	0.65			OX
CRLB23-06	94.50	100.00	5.5	4.9	0.22	4.4	39.5	1672.3	1.23			OX
CRLB23-06	129.00	134.60	5.6	4.1	0.63	4.3	48.5	824.9	3.51			129 - 129.65 TROH 129.65 - 134.35 TROL 134.35 - 134.6 TRSX
CRLB23-06	149.50	151.00	1.5	1.1	0.24	8.3	49.0	1385.0	0.35			TRSX
CRLB23-06	166.00	167.50	1.5	1.3	0.24	5.9	36.0	1445.0	0.35	1.5m @ 0.24g/t Au		TRSX
CRLB23-06	175.00	190.50	15.5	11.3	0.31	4.7	56.0	933.5	4.81	15.5m @ 0.31g/t Au		TRSX
CRLB23-07	41.00	48.50	7.5	5.4	0.33	3.2	32.8	780.8	2.47			OX
CRLB23-07	63.50	65.00	1.5	1.1	0.22	2.1	37.0	193.0	0.33			OX
CRLB23-08	6.90	14.50	7.6	7.2	0.27	4.4	47.7	866.1	2.06			OX
CRLB23-08	22.00	31.00	9.0	8.5	0.54	4.7	34.3	1691.3	4.86			OX
CRLB23-08	40.00	41.50	1.5	1.4	0.33	4.3	32.0	1430.0	0.49			OX
CRLB23-08	44.50	46.00	1.5	1.4	0.33	3.2	29.0	820.0	0.50			OX
CRLB23-08	52.00	53.50	1.5	1.4	0.41	4.2	44.0	651.0	0.62			OX
CRLB23-08	62.50	64.00	1.5	0.9	0.45	4.6	40.0	1095.0	0.67			OX
CRLB23-08	73.00	140.00	67.0	63.0	0.48	8.0	48.1	1376.6	32.44			73 - 89 OX 89 - 93 TROL 93 - 104.2 TRSX 104.2 - 121.95 TROH 121.95 - 128.9 TROL 128.9 - 130.4 TROH 130.4 - 137.5 OX 137.5 - 140 TROL
CRLB23-09	7.50	10.50	3.0	1.7	0.27	6.3	51.5	982.5	0.81			OX
CRLB23-09	22.00	23.50	1.5	1.5	0.37	3.7	42.0	1545.0	0.55			OX
CRLB23-09	42.00	54.00	12.0	11.6	0.37	4.5	49.4	964.1	4.46			OX
CRLB23-09	61.50	64.50	3.0	1.7	0.44	3.3	38.0	527.0	1.31			OX
CRLB23-09	75.00	93.10	18.1	10.2	0.37	5.2	37.3	1683.1	6.70			75 - 89.85 OX 89.85 - 93.05 TROL 93.05 - 93.1 SX
CRLB23-09	112.50	114.00	1.5	0.8	0.40	1.3	53.0	424.0	0.60			SX

CRLB23-09	118.50	120.00	1.5	0.8	0.38	2.4	37.0	344.0	0.57				SX
CRLB23-09	127.50	135.00	7.5	4.2	0.22	1.0	33.0	348.2	1.64	1.5m @ 0.4g/t Au			SX
CRLB23-09	139.00	139.00	1.0	1.0	0.30	0.9	46.0	422.0	0.30	1m @ 0.3g/t Au			SX
CRLB23-10	6.00	41.00	35.0	19.7	0.22	3.8	41.4	1333.8	7.83				OX
CRLB23-10	50.00	91.50	41.5	23.1	0.21	3.2	41.6	1134.7	8.62				50 - 72.35 OX 72.35 - 80 TROH 80 - 91.5 TROL 110.4 - 111.3 TROL 111.3 - 115.25 TROH 115.25 - 121.5 SX
CRLB23-10	110.40	121.50	11.1	6.3	0.66	16.3	78.4	2590.9	7.27				SX
CRLB23-10	133.50	145.50	12.0	6.6	0.51	3.5	39.5	845.9	6.13	3.5m @ 1.7g/t Au	3.5m @ 1.7g/t Au		SX
CRLB23-10	166.50	170.00	3.5	3.4	1.70	11.6	51.0	3974.3	5.95				SX
CRLB23-11	16.00	17.50	1.5	1.3	0.37	7.0	39.0	830.0	0.55				OX
CRLB23-11	44.50	55.00	10.5	9.3	0.36	3.0	41.1	719.3	3.83				OX
CRLB23-11	73.00	91.00	18.0	15.9	0.22	2.5	40.2	593.4	3.99				73 - 80.05 OX 80.05 - 91 TROL 98.5 - 101 TROH 101 - 107.5 TROL
CRLB23-11	98.50	107.50	9.0	7.9	0.38	6.3	39.8	956.7	3.40				SX
CRLB23-11	126.00	129.00	3.0	2.6	0.85	6.3	67.5	973.0	2.54				SX
CRLB23-11	145.50	147.00	1.5	1.1	0.26	0.3	40.0	264.0	0.39				SX
CRLB23-11	156.00	157.50	1.5	1.3	0.47	0.3	38.0	108.0	0.70				SX
CRLB23-11	166.50	172.50	6.0	5.3	0.65	4.7	62.8	1220.8	3.89	1.5m @ 2.03g/t Au	1.5m @ 2.03g/t Au		SX
CRLB23-12	13.50	15.00	1.5	0.3	0.30	4.3	67.0	875.0	0.45				OX
CRLB23-13	4.50	25.50	21.0	16.8	0.32	4.0	45.9	1131.8	6.65				OX
CRLB23-13	42.00	43.50	1.5	1.2	0.36	2.6	51.0	368.0	0.54				OX
CRLB23-13	49.00	52.70	3.7	2.9	0.35	3.8	51.0	1030.0	1.28				OX
CRLB23-13	64.50	74.00	9.5	7.6	0.61	5.0	47.0	804.9	5.81				64.5 - 69.9 OX 69.9 - 74 TRSX 89 - 90 TRSX 90 - 100.8 TROL 100.8 - 113.5 TRSX 113.5 - 125.5 SX
CRLB23-13	89.00	125.50	36.5	28.9	0.50	4.7	56.1	1155.8	18.20				SX
CRLB23-13	136.00	137.50	1.5	1.2	0.24	5.6	43.0	655.0	0.36				SX
CRLB23-13	145.00	151.00	6.0	4.7	2.16	3.1	48.0	1156.3	12.98				SX
CRLB23-13	160.00	161.50	1.5	1.2	0.21	9.9	85.0	1540.0	0.31				SX
CRLB23-13	164.50	185.50	21.0	16.5	0.44	6.3	60.2	2391.4	9.23	12m @ 0.63g/t Au	1.5m @ 2.18g/t Au 1.5m @ 1.34g/t Au		SX
CRLB23-14	9.00	10.50	1.5	0.1	0.28	2.4	47.0	775.0	0.42				OX
CRLB23-14	21.00	33.00	12.0	1.2	0.42	4.5	40.6	1343.3	5.01				OX
CRLB23-14	46.50	67.50	21.0	2.1	1.09	6.5	61.8	1076.1	22.86				OX
CRLB23-14	96.00	103.50	7.5	7.2	0.23	1.8	42.2	389.2	1.76				SX
CRLB23-15	16.50	18.00	1.5	0.1	0.30	5.6	23.0	705.0	0.45				OX
CRLB23-15	51.00	54.00	3.0	0.2	0.27	1.6	30.0	286.5	0.80				OX
CRLB23-15	82.50	84.00	1.5	0.1	0.37	4.6	51.0	671.0	0.55	1.5m @ 0.36g/t Au			OX
CRLB23-16	18.00	43.50	25.5	22.8	0.32	3.3	42.9	710.9	8.17				OX
CRLB23-16	58.50	60.00	1.5	1.3	0.95	4.7	39.0	1100.0	1.43				OX
CRLB23-16	87.00	99.25	12.3	10.9	0.23	4.3	36.8	775.7	2.80				87 - 88.05 OX 88.05 - 99.25 TROL
CRLB23-16	123.00	124.50	1.5	1.3	0.35	1.0	42.0	483.0	0.52				SX
CRLB23-16	138.00	139.95	1.9	1.7	0.32	0.8	45.0	523.0	0.62				SX
CRLB23-16	160.50	178.50	18.0	15.9	0.31	22.0	52.8	1673.9	5.61	12m @ 0.26g/t Au			SX
CRLB23-17	66.50	69.50	3.0	0.3	0.29	1.3	33.0	309.5	0.87				66.5 - 69 OX 69 - 69.5 TROL
CRLB23-18	4.50	6.00	1.5	1.4	0.70	1.3	31.0	441.0	1.05				OX
CRLB23-18	20.50	25.00	4.5	4.1	0.36	4.1	55.3	930.0	1.62				OX
CRLB23-18	37.00	41.50	4.5	4.1	0.61	6.2	52.3	2276.7	2.74				OX
CRLB23-18	64.00	68.50	4.5	3.2	0.49	5.4	54.7	1022.7	2.19				OX
CRLB23-18	83.50	85.00	1.5	1.4	0.20	2.6	24.0	829.0	0.30				OX
CRLB23-18	97.00	106.00	9.0	6.4	0.22	4.5	39.8	674.8	1.94				TROL
CRLB23-18	163.50	180.00	16.5	14.8	0.27	3.0	41.5	1274.7	4.52				SX
CRLB23-18	189.00	200.00	11.0	10.0	0.51	12.9	88.5	2845.2	5.63				SX
CRLB23-19	30.00	31.50	1.5	0.1	0.34	4.1	52.0	898.0	0.50				OX
CRLB23-19	39.00	42.00	3.0	0.3	0.46	7.2	75.5	1332.5	1.38				OX
CRLB23-19	51.00	55.50	4.5	0.5	1.16	6.3	48.3	974.3	5.22				OX
CRLB23-19	82.50	84.00	1.5	0.2	0.24	4.6	33.0	414.0	0.36				TROH
CRLB23-20	49.80	51.70	1.9	1.7	0.35	1.2	31.0	171.0	0.67				OX
CRLB23-20	57.00	60.00	3.0	2.7	0.28	5.8	53.1	794.3	0.84				OX
CRLB23-20	79.50	81.00	1.5	1.3	0.25	11.7	48.0	913.0	0.37				TROL

CRLB23-20	97.00	98.50	1.5	1.3	1.76	28.0	111.0	2520.0	2.63		TROH
CRLB23-20	149.00	152.00	3.0	2.7	0.36	2.0	39.0	1135.0	1.08	3m @ 0.36g/t Au	TRSX
CRLB23-20	158.00	160.00	2.0	1.8	0.25	5.4	56.0	662.0	0.50	2m @ 0.25g/t Au	TRSX
CRLB23-21	3.00	7.00	4.0	2.2	0.47	12.9	56.0	1066.7	1.87		OX
CRLB23-21	19.00	25.00	6.0	3.4	0.23	4.5	53.3	622.3	1.39		OX
CRLB23-21	29.50	31.00	1.5	0.8	0.38	3.4	35.0	598.0	0.57		OX
CRLB23-21	44.50	56.50	12.0	6.7	0.56	5.5	44.6	872.0	6.75		OX
CRLB23-21	73.10	74.50	1.4	0.8	0.42	6.6	76.0	1375.0	0.59		OX
CRLB23-21	94.50	96.00	1.5	0.8	0.58	7.8	41.0	742.0	0.88		TROH
CRLB23-21	122.00	125.00	3.0	1.7	2.66	1.4	36.0	375.5	7.98		TRSX
CRLB23-22	28.50	33.00	4.5	4.1	1.07	5.0	25.0	1163.3	4.80		OX
CRLB23-22	64.50	66.00	1.5	1.4	0.47	7.6	45.0	857.0	0.70		TROL
CRLB23-22	164.60	165.65	1.1	0.9	0.40	11.8	20.0	710.0	0.42	1.05m @ 0.4g/t Au	164.6 - 165.6 TROL 165.6 - 165.65 SX
CRLB23-24	19.50	21.00	1.5	1.5	0.38	7.9	53.0	1210.0	0.57		OX
CRLB23-24	51.00	52.50	1.5	0.8	0.25	11.6	34.0	1245.0	0.37		OX
CRLB23-24	60.00	61.50	1.5	0.8	0.26	20.6	54.0	1055.0	0.39		TROL
CRLB23-24	72.00	73.50	1.5	0.9	0.22	1.5	37.0	211.0	0.33		SX
CRLB23-24	85.50	87.00	1.5	0.9	0.20	1.9	45.0	355.0	0.30		SX
CRLB23-24	91.50	93.00	1.5	0.8	0.27	2.3	26.0	283.0	0.41		SX
CRLB23-24	103.50	105.00	1.5	0.8	0.35	2.5	55.0	699.0	0.52	1.5m @ 0.34g/t Au	SX

Criteria: Cut off grade 0.2g/t Au, minimum length 1.5m, maximum consecutive internal waste 6m, if Au grade x length > 0.3 the composite will be added

Price Assumptions: Au = 1750usd oz, Ag = 21usd oz, Cu = 3.5usd lb, Zn = 1.2usd lb

FR= Fresh Rock, OX= Oxide, TROL= Transition Oxide Low, TROH= Transition Oxide High, MX= Mixed, TRSX= Transition Sulphide, SX= Sulphide

Table 2: Camino Rojo Oxide Program Composite Drill Results (Composites 0.2g/t Au cog)

HOLE-ID	From (m)	To (m)	Core Length (m)	Estimated True Width (m)	Au g/t	Ag g/t	Cu ppm	Zn ppm	Au GXM	Including 0.2g/t Au COG Outside Pit	Including 1g/t Au COG Outside Pit	Met Code
CROX23-03	0.00	243.00	243.0	165.3	0.72	14.6	82.3	3294.1	176.09	46m @ 0.75g/t Au	2m @ 1.72g/t Au 6m @ 1.87g/t Au	0 - 133.3 OX 133.3 - 176.8 TROH 176.8 - 191 TROL 191 - 206.45 OX 206.45 - 228 TROH 228 - 243 TROL
CROX23-04	0.00	34.50	34.5	28.3	0.36	7.1	50.1	1852.4	12.44			OX
CROX23-04	52.20	74.50	22.3	18.1	0.61	6.4	48.4	1523.2	13.64			52.2 - 71 TROH 71 - 74.5 TROL
CROX23-04	96.50	126.50	30.0	24.1	0.84	8.7	57.4	1483.7	25.21			96.5 - 114.65 SX
CROX23-04	144.00	145.50	1.5	1.2	0.22	0.9	36.0	643.0	0.34			114.65 - 126.5 TROH SX
CROX23-04	156.00	267.00	111.0	88.4	0.91	11.4	104.9	4473.0	101.04	65.05m @ 0.86g/t Au	22.5m @ 1.02g/t Au 18.5m @ 1.02g/t Au 1.5m @ 1.9g/t Au	156 - 178.3 SX 178.3 - 183.35 TROL 183.35 - 202.87 SX 202.87 - 209 TROL 209 - 213 SX 213 - 214.8 TROL 214.8 - 253.6 SX 253.6 - 267 TROL
CROX23-05	0.00	260.00	260.0	105.3	1.07	15.0	88.4	4747.1	277.64	69.7m @ 0.52g/t Au	7.95m @ 1.46g/t Au 3.09m @ 1.33g/t Au	0 - 69 OX 69 - 76.3 TROH 76.3 - 80.35 TROL 80.35 - 83.1 TROH 83.1 - 86.4 TROL 86.4 - 89.72 SX 89.72 - 91 OX 91 - 119.65 TROH 119.65 - 125.4 SX 125.4 - 133.5 TROH 133.5 - 138 TRSX 138 - 161.85 TROH 161.85 - 175.3 TROL 175.3 - 197 OX 197 - 212.05 TRSX 212.05 - 257.1 TROL 257.1 - 260 SX 31 - 104.55 OX
CROX23-06	31.00	160.00	129.0	109.0	0.67	15.7	60.3	4215.0	86.26	24m @ 0.31g/t Au	1.5m @ 1.16g/t Au	104.55 - 111.65 TROL 111.65 - 120.75 SX 120.75 - 126 TRSX 126 - 141 SX 141 - 144 TRSX 144 - 160 SX
CROX23-07	0.00	240.00	240.0	171.2	1.04	20.4	109.9	5132.4	249.24	37.5m @ 0.63g/t Au	10.5m @ 1.07g/t Au	0 - 80.2 OX 80.2 - 103.55 TROH 103.55 - 108.85 SX 108.85 - 118.4 TROL 118.4 - 128.9 SX 128.9 - 136.95 TROL 136.95 - 171.6 TROH 171.6 - 191.5 TROL 191.5 - 199.5 OX 199.5 - 220.1 TROL 220.1 - 225.75 TROH 225.75 - 240 TRSX
CROX23-08	0.00	40.50	40.5	37.0	0.64	11.8	45.5	1605.3	26.08			0 - 33 OX 33 - 35.51 SX 35.51 - 40.5 TROH

CROX23-08	60.00	63.00	3.0	2.7	0.65	4.6	50.5	379.5	1.95				SX
CROX23-08	73.50	80.50	7.0	6.4	0.65	5.6	51.8	1362.6	4.55				73.5 - 75 SX 75 - 79.15 TRSX 79.15 - 80.5 TROH 87.7 - 89.9 SX 89.9 - 99.2 OX 99.2 - 105.45 SX 105.45 - 117 OX 117 - 129.9 SX 129.9 - 135.75 TROH 135.75 - 137.8 SX 137.8 - 146.1 OX 146.1 - 153 SX 153 - 156 TROL 156 - 157.85 TROH 157.85 - 162 OX 162 - 162.6 SX 162.6 - 165.75 TROH 165.75 - 193.8 OX 193.8 - 198.05 TROH 198.05 - 200.45 TRSX 200.45 - 220 SX
CROX23-08	87.70	220.00	132.3	119.7	0.84	18.5	73.4	4724.3	111.28	67.1m @ 1.16g/t Au	58m @ 1.32g/t Au		
CROX23-09	7.80	54.10	46.3	39.2	0.66	11.1	51.1	1765.7	30.49				OX
CROX23-09	66.00	83.00	17.0	14.4	1.46	6.9	33.7	806.3	24.75				66 - 80 OX 80 - 83 TRSX 90.2 - 91.3 TROL 91.3 - 103.5 SX 103.5 - 103.75 TROL 103.75 - 115.4 SX 115.4 - 120.3 TRSX 120.3 - 120.5 SX
CROX23-09	90.20	120.50	30.3	25.6	0.43	3.2	41.6	931.8	13.03				
CROX23-09	134.00	218.00	84.0	70.4	0.58	6.6	67.6	3248.9	48.77	76.5m @ 0.63g/t Au	1.5m @ 1.08g/t Au 10.5m @ 1.24g/t Au 10.5m @ 1.43g/t Au 1.5m @ 1.56g/t Au		SX
CROX23-10	87.70	180.00	92.3	82.4	0.43	10.5	54.3	2210.8	39.75	27m @ 0.44g/t Au	1.9m @ 2.32g/t Au		87.7 - 132.2 OX 132.2 - 139.6 TROL 139.6 - 170.5 SX 170.5 - 174.1 OX 174.1 - 177.35 TRSX 177.35 - 180 SX 76.35 - 131 OX 131 - 132.2 TROL 132.2 - 166.5 TRSX
CROX23-11	76.35	166.50	90.2	67.5	1.03	17.9	74.1	3224.8	92.41	21m @ 0.87g/t Au	1.5m @ 1.53g/t Au 1.5m @ 1.95g/t Au 1.5m @ 4.22g/t Au		SX
CROX23-11	174.00	175.00	1.0	0.8	0.44	6.2	92.0	1040.0	0.44	1m @ 0.44g/t Au			OX
CROX23-12	46.50	53.50	7.0	5.8	0.84	5.6	68.3	1991.4	5.91	7m @ 0.84g/t Au	1.5m @ 3.55g/t Au		OX
CROX23-12	62.50	64.00	1.5	1.4	0.27	5.9	38.0	2050.0	0.40	1.5m @ 0.26g/t Au			OX
CROX23-12	68.50	70.00	1.5	1.4	0.50	5.0	111.0	1095.0	0.74	1.5m @ 0.5g/t Au			OX
CROX23-12	74.50	77.50	3.0	2.7	0.24	3.4	41.5	736.5	0.71	3m @ 0.24g/t Au			OX
CROX23-13	69.00	70.50	1.5	1.4	0.91	4.4	31.0	765.0	1.37				OX
CROX23-13	118.00	119.50	1.5	1.4	0.23	13.1	38.0	390.0	0.35				SX
CROX23-13	160.50	161.70	1.2	1.1	0.40	16.1	59.0	694.0	0.48				SX
CROX23-13	171.50	174.50	3.0	2.7	1.82	2.2	36.5	897.5	5.47	3m @ 1.82g/t Au	3m @ 1.82g/t Au		SX
CROX23-13	191.00	204.50	13.5	12.3	0.26	4.9	35.6	895.8	3.46	13.5m @ 0.26g/t Au			191 - 198.5 TRSX 198.5 - 204.5 SX
CROX23-13	213.50	215.00	1.5	1.4	0.20	4.4	42.0	590.0	0.30	1.5m @ 0.2g/t Au			SX
CROX23-13	219.50	259.00	39.5	36.1	0.37	9.2	55.1	2573.0	14.49	39.5m @ 0.37g/t Au	1.5m @ 3.31g/t Au		SX
CROX23-14	96.50	155.50	59.0	33.0	0.71	22.1	60.7	2278.8	41.82	24.5m @ 0.45g/t Au	1.5m @ 1.27g/t Au 1.5m @ 1.36g/t Au		96.5 - 127.85 OX 127.85 - 135.5 TRSX 135.5 - 145.2 OX 145.2 - 155.5 TRSX
CROX23-14	163.00	165.00	2.0	1.1	0.52	15.0	65.5	2225.0	1.04	2m @ 0.52g/t Au			TRSX
CROX23-15	96.15	124.50	28.4	20.3	0.34	12.2	44.7	1679.8	9.56				OX
CROX23-15	133.50	174.50	41.0	29.2	0.49	9.9	56.2	1642.8	20.04	41m @ 0.49g/t Au	6.4m @ 1.29g/t Au 1.5m @ 1.08g/t Au 1.5m @ 1.36g/t Au		133.5 - 143.6 SX 143.6 - 155.15 OX 155.15 - 163.9 TRSX 163.9 - 171.55 SX 171.55 - 174.5 TRSX

CROX23-15	182.00	201.00	19.0	13.5	0.25	5.4	48.9	1391.9	4.82	19m @ 0.25g/t Au	1.1m @ 1.66g/t Au	SX
CROX23-15	216.00	217.50	1.5	1.1	0.48	6.3	67.0	1410.0	0.72	1.5m @ 0.48g/t Au		SX
CROX23-16	108.00	178.50	70.5	38.7	0.66	14.0	62.5	1921.2	46.85	63m @ 0.63g/t Au	7.85m @ 1.71g/t Au 1.5m @ 1.36g/t Au 1.5m @ 1.38g/t Au	108 - 141 OX 141 - 144.55 TRSX 144.55 - 161.6 SX 161.6 - 164.1 TRSX 164.1 - 168 SX 168 - 178.5 TRSX
CROX23-17	81.00	126.50	45.5	40.4	0.50	7.3	48.4	2163.9	22.60	23.5m @ 0.45g/t Au	1.6m @ 3.11g/t Au	OX

Criteria: Cut off grade 0.2g/t Au, minimum length 1.5m, maximum consecutive internal waste 6m, if Au grade x length > 0.3 the composite will be added
FR= Fresh Rock, OX= Oxide, TROL= Transition Oxide Low, TROH= Transition Oxide High, MX= Mixed, TRSX= Transition Sulphide, SX= Sulphide

Table 3: Camino Rojo Layback Drill Hole Collars

HOLE-ID	Easting	Northing	Elevation	Azimuth	Dip	Depth (m)
CRLB23-01	244598.7	2676292.5	1943.2	0.0	-90.00	175.0
CRLB23-02	244696.4	2676290.9	1941.7	0.0	-60.00	130.0
CRLB23-03	244696.5	2676289.5	1941.7	0.0	-90.00	155.0
CRLB23-04	244600.1	2676369.0	1943.2	0.0	-60.00	95.0
CRLB23-05	244597.7	2676343.3	1943.2	150.0	-60.00	150.0
CRLB23-06	244551.4	2676393.8	1944.0	150.0	-60.00	190.5
CRLB23-07	244499.0	2676447.1	1944.9	150.0	-60.00	120.0
CRLB23-08	244502.7	2676341.1	1944.5	150.0	-53.00	140.0
CRLB23-09	244502.6	2676341.4	1944.5	0.0	-90.00	180.0
CRLB23-10	244498.1	2676292.5	1944.7	0.0	-90.00	170.0
CRLB23-11	244449.2	2676373.9	1945.3	150.0	-60.00	180.0
CRLB23-12	244448.3	2676372.6	1945.6	0.0	-65.00	93.3
CRLB23-13	244448.5	2676325.5	1945.1	150.0	-70.00	190.0
CRLB23-14	244397.6	2676297.5	1945.8	0.0	-60.00	150.1
CRLB23-15	244401.0	2676374.0	1948.0	0.0	-60.00	100.0
CRLB23-16	244342.5	2676369.2	1946.8	150.0	-60.00	180.0
CRLB23-17	244342.4	2676370.2	1946.7	0.0	-60.00	90.0
CRLB23-18	244303.4	2676345.6	1946.9	150.0	-60.00	200.0
CRLB23-19	244302.2	2676350.7	1947.0	0.0	-60.00	115.0
CRLB23-20	244249.4	2676395.7	1947.9	150.0	-60.00	160.0
CRLB23-21	244246.7	2676299.2	1947.3	0.0	-90.00	155.0
CRLB23-22	244197.3	2676374.9	1948.2	150.0	-60.00	170.0
CRLB23-23	244197.7	2676373.9	1948.2	0.0	-60.00	70.0
CRLB23-24	244134.0	2676296.8	1947.9	0.0	-90.00	106.0

Table 4: Camino Rojo Oxide Drill Hole Collars

HOLE-ID	Easting	Northing	Elevation	Azimuth	Dip	Depth (m)
CROX23-03	244262.0	2676194.0	1900.0	145.0	-81.00	243.0
CROX23-04	244191.0	2676204.0	1900.0	146.0	-69.00	270.0
CROX23-05	244324.7	2676201.0	1900.0	145.0	-84.00	260.0
CROX23-06	244732.0	2676219.0	1920.0	145.0	-65.00	160.0

CROX23-07	244226.0	2676107.0	1890.0	144.0	-60.00	240.0
CROX23-08	244155.0	2676051.6	1890.1	151.0	-56.00	220.0
CROX23-09	244149.0	2676091.0	1890.0	165.0	-66.00	220.0
CROX23-10	244801.0	2676258.0	1940.0	149.0	-60.00	180.0
CROX23-11	244801.0	2676258.0	1940.0	149.0	-76.00	175.0
CROX23-12	244807.0	2676066.0	1938.0	155.0	-60.00	80.0
CROX23-13	244030.4	2676046.6	1946.3	132.0	-45.00	285.0
CROX23-14	244851.2	2676261.1	1938.0	0.0	-90.00	165.0
CROX23-15	244856.9	2676252.9	1938.0	145.0	-78.00	220.0
CROX23-16	244886.0	2676251.0	1938.2	0.0	-90.00	180.0
CROX23-17	244847.0	2676179.0	1939.0	145.0	-60.00	140.0