

Appendix: Drill Results

Table 1: Camino Rojo Sulphide Extension Composite Drill Results (Composites 1g/t Au cog)

HOLE-ID	From (m)	To (m)	Core Length (m)	Est. True Width (m)	Au g/t	Ag g/t	Cu ppm	As ppm	Pb ppm	Zn ppm	Mo ppm	AuEq*	Au GXM	AuEq GXM	Including 10g/t Au HG	Litho	Met Code	Resources Pit	Recovery Fm
CRSX23-28	524.95	526.50	1.5	1.4	1.62	5.5	45	1970	150	804	0.5	1.71	2.50	2.65		Caracol	SX	Y	Sulphide
CRSX23-28	572.50	574.00	1.5	1.3	2.73	16.1	64	5440	1635	2600	1.0	3.04	4.10	4.56		Caracol	SX	Y	Sulphide
CRSX23-28	581.50	587.90	6.4	5.6	2.86	15.2	92	5791	941	2962	1.2	3.16	18.30	20.23		Caracol	SX	Y	Sulphide
CRSX23-28	594.00	595.50	1.5	1.3	1.29	2.8	38	3130	168	202	1.0	1.34	1.94	2.00		Caracol	SX	Y	Sulphide
CRSX23-28	597.00	616.75	19.8	17.2	1.06	9.0	105	1294	678	2441	1.3	1.27	20.98	25.17		Caracol	SX	Y	Sulphide
CRSX23-28	624.50	630.50	6.0	5.2	2.02	6.3	112	1901	264	955	1.5	2.14	12.12	12.86		Caracol	SX	Y	Sulphide
CRSX23-28	638.00	641.70	3.7	3.2	1.22	11.7	72	1933	1381	1403	1.0	1.44	4.52	5.32		Caracol	SX	Y	Sulphide
CRSX23-28	643.50	648.00	4.5	3.9	1.17	3.3	57	890	285	1420	1.0	1.27	5.25	5.70		Caracol	SX	Y	Sulphide
CRSX23-28	657.00	658.50	1.5	1.3	2.40	2.9	26	1220	35	41	1.0	2.44	3.60	3.65		Caracol	SX	Y	Sulphide
CRSX23-28	666.00	670.50	4.5	3.9	3.98	4.2	40	1563	115	295	1.0	4.04	17.91	18.19		Caracol	SX	Y	Sulphide
CRSX23-28	681.00	685.50	4.5	3.9	5.40	4.7	28	3080	65	109	1.0	5.46	24.29	24.56	1.5m @ 11.03g/t AuEq (10.95g/t Au, 6.3g/t Ag, 0% Cu, 0.01% Pb, 0.02% Zn)	Caracol	SX	Y	Sulphide
CRSX23-28	693.00	696.00	3.0	2.6	1.18	4.9	74	779	315	79	1.0	1.25	3.53	3.74		Caracol	SX	Y	Sulphide
CRSX23-28	703.00	704.50	1.5	1.3	3.47	3.3	35	3200	105	155	4.0	3.52	5.21	5.28		Caracol	SX	Y	Sulphide
CRSX23-28	713.50	742.90	29.4	22.6	2.30	4.3	65	1043	275	478	1.8	2.37	67.49	69.77		Caracol	SX	Y	Sulphide
CRSX23-28	749.00	750.50	1.5	1.3	3.05	41.1	192	732	7830	3310	1.0	3.82	4.58	5.73		Caracol	SX		Sulphide
CRSX23-28	764.00	775.00	11.0	9.5	2.15	8.5	79	1740	1197	2128	1.0	2.36	23.68	25.93		Caracol	SX		Sulphide
CRSX23-28	787.00	805.05	18.1	14.0	1.19	3.0	45	1134	208	1171	1.0	1.27	21.45	22.97		Caracol	SX		Sulphide
CRSX23-28	979.40	982.70	3.3	2.8	1.99	1.9	485	125	17	1168	11.4	2.14	6.58	7.05		979.4 - 982.6 Indidura	SX		Extension
CRSX23-28	1009.15	1012.10	3.0	2.4	2.68	8.7	1261	164	217	1857	14.8	3.05	7.91	8.99		1009.15 - 1010.2 Breccia	SX		Extension
CRSX24-25E	594.90	600.45	5.6	4.7	1.51	6.2	63	1019	722	2578	1.0	1.69	8.38	9.39		1010.2 - 1012.1 Cuesta de Cura	SX	Y	Sulphide
CRSX24-25E	621.05	622.55	1.5	1.3	1.03	2.4	61	1395	45	1715	1.0	1.12	1.54	1.68		Caracol	SX	Y	Sulphide
CRSX24-25E	637.55	639.05	1.5	1.3	6.74	13.4	295	10400	190	1400	2.0	6.98	10.11	10.46		Caracol	SX	Y	Sulphide
CRSX24-25E	663.05	669.05	6.0	5.1	1.08	0.9	51	94	24	53	1.0	1.10	6.49	6.60		Caracol	SX	Y	Sulphide
CRSX24-25E	678.05	679.55	1.5	1.3	4.69	6.9	68	2070	124	25800	1.0	5.68	7.04	8.52		Caracol	SX	Y	Sulphide
CRSX24-25E	711.05	724.50	13.5	11.5	2.05	14.3	116	1975	1861	5020	1.3	2.44	27.54	32.77		Caracol	SX		Sulphide
CRSX24-25E	735.00	736.50	1.5	1.3	1.23	6.3	107	1270	52	53	1.0	1.31	1.84	1.96		Caracol	SX		Sulphide
CRSX24-25E	744.00	759.00	15.0	12.9	2.40	9.2	190	815	378	4410	3.9	2.77	36.05	41.48		Caracol	SX		Extension
CRSX24-25E	769.50	779.25	9.8	8.3	3.49	7.6	157	997	160	10591	8.2	4.12	33.98	40.17	1.5m @ 19.84g/t AuEq (16.6g/t Au, 31.5g/t Ag, 0.07% Cu, 0.04% Pb, 5.63% Zn)	Indidura	SX		Extension
CRSX24-25E	809.50	815.00	5.5	4.7	1.17	7.7	278	632	163	2986	6.3	1.45	6.43	7.96		Indidura	SX		Extension
CRSX24-25E	871.00	872.50	1.5	1.3	1.59	3.5	527	1375	28	2160	5.0	1.80	2.38	2.70		FG Intrusives - hdb-bi-pl	SX		Extension
CRSX24-25E	881.80	883.20	1.4	1.2	1.25	7.7	227	2880	219	2550	11.0	1.50	1.74	2.10		Indidura	SX		Extension
CRSX24-25E	887.50	889.00	1.5	1.3	1.13	4.4	83	403	39	1655	1.0	1.27	1.70	1.91		Indidura	SX		Extension
CRSX24-25E	890.50	892.00	1.5	1.3	1.22	6.3	202	1330	50	1770	1.0	1.40	1.82	2.11		Indidura	SX		Extension
CRSX24-25E	924.00	937.50	13.5	11.5	2.38	11.9	897	1671	67	7585	6.0	3.01	32.11	40.64	1m @ 13.41g/t AuEq (13.05g/t Au, 10.9g/t Ag, 0.11% Cu, <0.005% Pb, 0.17% Zn)	924 - 925 FG Intrusives - hdb-bi-pl	SX		Extension
CRSX24-25E	957.55	962.00	4.5	3.8	4.01	2.0	386	44	17	4648	7.2	4.31	17.85	19.20	0.6m @ 17.59g/t AuEq (16.65g/t Au, 3.5g/t Ag, 0.11% Cu, <0.005% Pb, 1.54% Zn)	925 - 937.5 Cuesta de Cura	SX		Extension



CRSX24-25E	970.60	981.00	10.4	8.8	1.27	1.6	74	1403	43	9881	5.0	1.78	13.16	18.53	0.6m @ 12.88g/t AuEq (10.1g/t Au, 14.4g/t Ag, 0.06% Cu, 0.01% Pb, 5.16% Zn)	Cuesta de Cura	SX	Extension
CRSX24-25E	1006.20	1007.70	1.5	1.3	1.84	3.8	136	169	44	19650	2.0	2.87	2.76	4.30		Cuesta de Cura	SX	Extension
CRSX24-25E	1042.90	1043.40	0.5	0.4	9.49	13.1	293	1195	46	6700	4.0	10.01	4.75	5.01		Cuesta de Cura	SX	Extension
CRSX24-25E	1072.15	1074.00	1.8	1.6	4.40	16.7	152	1080	329	10914	0.8	5.16	8.14	9.55		Cuesta de Cura	SX	Extension
CRSX24-25E	1113.40	1115.55	2.1	1.6	12.43	8.1	371	1450	72	52237	0.6	15.14	26.71	32.55	0.5m @ 25.67g/t AuEq (21.1g/t Au, 18.6g/t Ag, 0.09% Cu, 0.01% Pb, 8.62% Zn)	Cuesta de Cura	SX	Extension
CRSX24-25E	1142.85	1143.85	1.0	0.8	3.03	4.3	491	585	60	58700	0.5	6.03	3.03	6.03	0.5m @ 26.26g/t AuEq (21.4g/t Au, 13.1g/t Ag, 0.04% Cu, 0.02% Pb, 9.46% Zn)	La Peña	SX	Extension
CRSX24-25F	649.55	651.05	1.5	1.2	1.91	2.5	95	2430	48	1175	1.0	1.99	2.87	2.99		Caracol	SX	Y Sulphide
CRSX24-25F	687.00	688.06	1.1	0.8	1.44	2.0	67	4890	59	65	1.0	1.47	1.53	1.56		Caracol	SX	Sulphide
CRSX24-25F	703.00	713.50	10.5	8.3	1.75	8.9	73	1656	1277	1537	1.9	1.94	18.35	20.34		Caracol	SX	Sulphide
CRSX24-25F	747.50	749.00	1.5	1.2	9.33	18.8	331	3810	205	8100	1.0	10.00	14.00	15.00		Indidura	SX	Extension
CRSX24-25F	807.50	809.00	1.5	1.2	1.73	23.2	451	3160	651	13950	8.0	2.76	2.59	4.14		Indidura	SX	Extension
CRSX24-25F	824.50	825.45	1.0	0.8	3.56	7.5	208	2440	210	9140	5.0	4.13	3.38	3.92		Indidura	SX	Extension
CRSX24-25F	875.85	876.35	0.5	0.4	8.85	41.1	215	1780	3140	26100	11.0	10.74	4.43	5.37		Cuesta de Cura	SX	Extension
CRSX24-25F	925.50	928.50	3.0	2.4	3.05	1.4	56	30	30	554	13.5	3.10	9.15	9.30		Cuesta de Cura	SX	Extension
CRSX24-25F	1005.15	1028.55	23.4	19.7	1.86	15.2	2821	170	25	242	5.6	2.42	43.41	56.57		Cuesta de Cura	SX	Extension
CRSX24-25F	1060.05	1061.15	1.1	0.9	2.51	122.0	6010	3460	272	14600	3.0	5.45	2.76	5.99		Cuesta de Cura	SX	Extension
CRSX24-25F	1107.35	1108.50	1.2	1.0	2.53	13.1	1380	5970	55	15950	1.0	3.65	2.91	4.20		Cuesta de Cura	SX	Extension
CRSX24-25F	1119.00	1120.50	1.5	1.3	1.67	0.7	27	3	9	11	1.0	1.68	2.50	2.52		La Peña	SX	Extension
CRSX24-25F	1133.70	1140.95	7.3	5.7	3.67	4.2	489	16710	54	69328	0.8	7.19	26.61	52.16		La Peña	SX	Extension
CRSX24-25F	1151.65	1152.50	0.8	0.7	45.40	54.9	759	444	8970	8890	1.0	46.88	38.59	39.85	0.8m @ 46.88g/t AuEq (45.4g/t Au, 54.9g/t Ag, 0.08% Cu, 0.9% Pb, 0.89% Zn)	La Peña	SX	Extension
CRSX24-25F	1180.00	1181.50	1.5	1.2	7.86	1.8	89	1140	42	28100	1.0	9.28	11.79	13.91		La Peña	SX	Extension
CRSX24-25G	748.50	750.00	1.5	1.2	4.40	5.8	107	7070	99	1095	2.0	4.54	6.60	6.81		Indidura	SX	Extension
CRSX24-25G	784.50	786.00	1.5	1.3	2.08	27.2	100	1365	4520	4730	1.0	2.80	3.12	4.19		Indidura	SX	Extension
CRSX24-25G	808.65	810.15	1.5	1.3	2.21	12.3	164	3740	728	2150	7.0	2.50	3.32	3.76		Indidura	SX	Extension
CRSX24-25G	941.00	942.50	1.5	1.2	1.25	0.3	37	8	6	209	10.0	1.26	1.87	1.89		Cuesta de Cura	SX	Extension
CRSX24-25G	982.50	984.00	1.5	1.2	1.31	0.7	117	5	6	168	1.0	1.34	1.97	2.01		Cuesta de Cura	SX	Extension
CRSX24-25G	1015.20	1032.40	17.2	13.3	3.25	8.6	1562	263	21	905	5.4	3.61	55.98	62.02	0.5m @ 15.65g/t AuEq (13.25g/t Au, 57.2g/t Ag, 1.24% Cu, <0.005% Pb, 0.2% Zn)	1015.2 - 1023.35 Cuesta de Cura 1023.35 - 1024.15 FG Intrusives - hdb-bi-pl 1024.15 - 1032.4 Cuesta de Cura	SX	Extension
CRSX24-25G	1066.50	1068.20	1.7	1.5	1.40	39.8	9480	117	19	581	3.0	3.15	2.38	5.35		Cuesta de Cura	SX	Extension
CRSX24-25G	1071.40	1090.50	19.1	14.7	1.05	34.8	7372	145	16	333	2.1	2.45	20.13	46.81		Cuesta de Cura	SX	Extension
CRSX24-25G	1124.30	1127.00	2.7	2.3	5.13	7.2	535	12139	43	30634	1.3	6.79	13.86	18.34	0.8m @ 21.95g/t AuEq (16.8g/t Au, 12.4g/t Ag, 0.07% Cu, 0.01% Pb, 9.98% Zn)	La Peña	SX	Extension
CRSX24-25G	1163.00	1164.50	1.5	1.2	1.49	0.7	175	186	17	447	23.0	1.54	2.24	2.32		La Peña	SX	Extension
CRSX24-25G	1216.85	1218.20	1.4	1.0	1.43	0.5	237	92	4	66	7.0	1.47	1.92	1.98		La Peña	SX	Extension
CRSX24-30	529.00	530.50	1.5	1.3	3.93	165.0	278	10450	19250	18250	1.0	6.83	5.90	10.24		Caracol	SX	Y Sulphide
CRSX24-30	544.00	554.50	10.5	9.2	1.01	15.3	90	1011	1795	3082	1.4	1.33	10.56	13.99		Caracol	SX	Y Sulphide
CRSX24-30	557.50	559.00	1.5	1.3	1.34	11.1	61	3520	702	2440	1.0	1.57	2.01	2.35		Caracol	SX	Y Sulphide
CRSX24-30	565.00	566.50	1.5	1.3	1.19	23.4	73	1850	2890	1985	2.0	1.59	1.79	2.38		Caracol	SX	Y Sulphide
CRSX24-30	575.50	578.50	3.0	2.6	1.83	25.5	76	2975	2147	2710	3.0	2.26	5.49	6.77		Caracol	SX	Y Sulphide
CRSX24-30	588.00	594.00	6.0	5.3	1.25	5.9	54	1526	402	1522	1.0	1.38	7.49	8.28		Caracol	SX	Y Sulphide
CRSX24-30	602.75	606.50	3.8	3.3	3.83	12.8	68	6229	983	1827	0.8	4.06	14.36	15.24	0.5m @ 15.2g/t AuEq (13.85g/t Au, 72.3g/t Ag, 0.03%	Caracol	SX	Y Sulphide



CRSX24-30	617.15	618.50	1.4	1.2	2.11	35.8	161	4020	3190	11500	1.0	2.99	2.85	4.04	Cu, 0.67% Pb, 1.08% Zn)	Caracol	SX	Y	Sulphide
CRSX24-30	624.55	640.40	15.9	14.0	2.35	5.0	105	1504	178	940	1.0	2.46	37.27	38.92		Caracol	SX	Y	Sulphide
CRSX24-30	646.50	656.52	10.0	8.9	2.28	3.7	96	749	95	780	1.3	2.36	22.87	23.68	1m @ 15.16g/t AuEq (14.95g/t Au, 13.7g/t Ag, 0.03% Cu, 0.01% Pb, 0.06% Zn)	Caracol	SX	Y	Sulphide
CRSX24-30	664.50	708.50	44.0	39.0	3.00	6.2	111	1084	244	558	1.8	3.11	132.19	136.88	1.3m @ 12.65g/t AuEq (12.45g/t Au, 15.2g/t Ag, 0.03% Cu, 0.01% Pb, 0.01% Zn)	Caracol	SX	Y	Sulphide
CRSX24-30	722.00	728.00	6.0	4.3	3.79	5.2	72	1770	153	150	2.3	3.86	22.74	23.18	1.5m @ 32.92g/t AuEq (32.4g/t Au, 46g/t Ag, 0.01% Cu, 0.03% Pb, 0.01% Zn)	Caracol	SX	Y	Sulphide
CRSX24-30	738.60	804.50	65.9	47.4	2.60	8.6	114	2119	628	1649	1.2	2.78	171.04	182.88	0.5m @ 14.98g/t AuEq (11.5g/t Au, 163g/t Ag, 0.15% Cu, 3.06% Pb, 2.25% Zn)	738.6 - 798.64 Caracol 798.64 - 804.5 Indidura	SX	Y	Sulphide
CRSX24-30	831.50	833.00	1.5	1.1	1.01	2.4	34	631	71	196	3.0	1.05	1.52	1.58	0.8m @ 15.51g/t AuEq (13.9g/t Au, 77.5g/t Ag, 0.04% Cu, 1.38% Pb, 1.13% Zn)	Indidura	SX		Extension
CRSX24-30	846.50	848.00	1.5	1.3	2.04	6.8	171	1700	91	4160	6.0	2.35	3.06	3.52		Indidura	SX		Extension
CRSX24-30	852.50	854.00	1.5	1.3	1.78	0.8	38	268	15	108	1.0	1.80	2.67	2.70		Indidura	SX		Extension
CRSX24-30	942.00	943.50	1.5	1.3	2.60	4.3	96	1085	199	99	1.0	2.67	3.90	4.01		FG Intrusives - hdb-bi-pl	SX		Extension
CRSX24-30	952.50	955.50	3.0	2.7	4.84	2.3	410	153	33	1181	20.0	4.98	14.52	14.94		952.5 - 952.93 FG Intrusives - hdb-bi- pl	SX		Extension
CRSX24-30B	528.00	529.50	1.5	1.4	1.05	64.7	222	2650	5520	1805	1.0	1.97	1.58	2.95		952.93 - 955.5 Indidura	SX	Y	Sulphide
CRSX24-30B	538.50	540.00	1.5	1.4	1.23	14.4	86	1845	1915	3320	1.0	1.56	1.85	2.34		Caracol	SX	Y	Sulphide
CRSX24-30B	559.50	607.50	48.0	43.3	1.37	7.1	132	1458	495	1165	1.6	1.52	65.73	72.73		Caracol	SX	Y	Sulphide
CRSX24-30B	616.90	618.50	1.6	1.4	3.33	13.7	172	4180	1260	1560	2.0	3.58	5.33	5.73		Caracol	SX	Y	Sulphide
CRSX24-30B	627.50	681.00	53.5	37.5	2.43	7.5	157	1556	344	693	1.2	2.57	130.08	137.23	1.7m @ 14.17g/t AuEq (13.95g/t Au, 13.1g/t Ag, 0.06% Cu, 0.02% Pb, 0.02% Zn)	Caracol	627.5 - 647.4 SX	Y	Sulphide
CRSX24-30B	688.00	710.50	22.5	15.8	1.04	10.2	90	1105	1701	2437	1.7	1.29	23.42	28.99		Caracol	SX	Y	Sulphide
CRSX24-30B	724.00	825.50	101.5	72.0	3.05	7.2	116	2459	341	1713	2.5	3.21	309.54	325.80	1.3m @ 19.48g/t AuEq (19.35g/t Au, 10g/t Ag, 0.01% Cu, 0.01% Pb, 0.01% Zn)	724 - 780.45 Caracol 780.45 - 783.15 Breccia 783.15 - 808.4 Caracol 808.4 - 825.5 Indidura	SX	Y	724 - 818.5 Sulphide 818.5 - 825.5 Extension



CRSX24-30B	835.50	862.00	26.5	19.0	1.65	4.5	94	1611	76	2150	2.9	1.82	43.72	48.30	Cu, 0.02% Pb, 0.04% Zn) 1.1m @ 11.53g/t AuEq (11.35g/t Au, 4.2g/t Ag, 0.01% Cu, <0.005% Pb, 0.24% Zn)	Indidura	SX	Y	Extension
CRSX24-30B	916.02	919.65	3.6	3.2	3.54	88.1	644	7162	1011	43106	7.1	6.80	12.83	24.67	916.02 - 919.2 Breccia 919.2 - 919.65 FG Intrusives - hdb-bi-pl 928.75 - 931.82 FG Intrusives - hdb-bi-pl 931.82 - 932.74 Indidura 932.74 - 934.7 FG Intrusives - hdb-bi-pl 934.7 - 935.75 Indidura	SX		Extension	
CRSX24-30B	928.75	935.75	7.0	6.2	1.98	4.0	199	416	46	3592	3.2	2.23	13.86	15.61	931.82 - 932.74 Indidura 932.74 - 934.7 FG Intrusives - hdb-bi-pl 934.7 - 935.75 Indidura	SX		Extension	
CRSX24-31A	568.85	573.70	4.9	3.8	2.42	6.0	127	1643	598	2706	1.0	2.61	11.73	12.66		Caracol	568.85 - 573.73 SX NR	Y	Sulphide
CRSX24-31A	598.70	607.00	8.3	6.2	2.53	7.6	130	3745	556	3303	7.7	2.76	21.04	22.93	1.1m @ 13.94g/t AuEq (13.05g/t Au, 32g/t Ag, 0.04% Cu, 0.05% Pb, 1.4% Zn)	Caracol	SX	Y	Sulphide
CRSX24-31A	627.00	632.50	5.5	4.1	1.12	2.1	79	2348	86	223	1.3	1.16	6.16	6.39		Caracol	SX	Y	Sulphide
CRSX24-31A	648.50	650.00	1.5	1.3	1.93	2.2	68	1495	98	463	3.0	1.98	2.90	2.97		Caracol	SX	Y	Sulphide
CRSX24-31A	655.50	657.00	1.5	1.1	2.56	1.6	77	2090	61	207	4.0	2.60	3.84	3.89		Caracol	SX	Y	Sulphide
CRSX24-31A	661.10	662.80	1.7	1.3	1.31	6.6	216	205	283	4090	2.0	1.56	2.23	2.65		Caracol	SX	Y	Sulphide
CRSX24-31A	700.70	702.60	1.9	1.7	4.62	20.6	520	4617	566	24226	2.4	5.77	8.79	10.97		Indidura	SX	Y	Sulphide
CRSX24-31A	714.50	716.00	1.5	1.3	12.55	19.1	209	15550	502	10850	1.0	13.35	18.83	20.02	1.5m @ 13.35g/t AuEq (12.55g/t Au, 19.1g/t Ag, 0.02% Cu, 0.05% Pb, 1.08% Zn)	Indidura	SX	Y	Extension
CRSX24-31A	729.90	730.45	0.6	0.5	7.29	38.7	830	152	2350	87100	3.0	12.21	4.01	6.72		Indidura	SX	Y	Extension
CRSX24-31A	746.00	747.50	1.5	1.3	4.27	32.1	587	2885	250	4819	0.8	4.97	6.41	7.45		Indidura	SX		Extension
CRSX24-31A	754.50	764.50	10.0	8.7	1.53	7.5	176	1490	101	3450	5.5	1.81	15.29	18.12		Indidura	SX		Extension
CRSX24-31A	814.10	819.40	5.3	4.0	1.88	6.2	231	607	70	8547	11.2	2.40	9.96	12.74	0.5m @ 19.26g/t AuEq (15.1g/t Au, 45.2g/t Ag, 0.1% Cu, 0.05% Pb, 7.08% Zn)	Indidura	SX		Extension
CRSX24-31A	832.63	835.10	2.5	1.9	1.43	7.6	529	114	110	28132	27.9	2.98	3.54	7.36		Indidura	SX		Extension
CRSX24-31A	847.70	853.20	5.5	4.2	1.15	6.7	494	813	65	4540	20.1	1.52	6.33	8.36		Indidura	SX		Extension
CRSX24-31A	877.80	878.65	0.9	0.6	22.70	60.3	811	1900	785	1370	7.0	23.60	19.30	20.06	0.9m @ 23.6g/t AuEq (22.7g/t Au, 60.3g/t Ag, 0.08% Cu, 0.08% Pb, 0.14% Zn)	Porph Intrusives - hdb-bi-pl	SX		Extension
CRSX24-31A	887.50	889.00	1.5	1.3	3.56	2.8	206	263	37	525	3.0	3.65	5.34	5.47		Porph Intrusives - hdb-bi-pl 899 - 899.6 Breccia 899.6 - 908.6 Cuesta de Cura	SX		Extension
CRSX24-31A	899.00	908.60	9.6	7.3	1.57	3.9	236	822	48	2282	3.1	1.76	15.12	16.94		Cuesta de Cura	SX		Extension
CRSX24-31A	920.80	921.50	0.7	0.5	3.14	23.4	506	6740	530	28900	6.0	4.92	2.20	3.44		Cuesta de Cura	SX		Extension
CRSX24-31A	927.70	928.20	0.5	0.4	7.82	7.1	203	12150	148	18250	10.0	8.83	3.91	4.42		Cuesta de Cura	SX		Extension
CRSX24-31A	953.40	962.50	9.1	7.0	1.82	2.4	146	67	14	548	2.6	1.89	16.53	17.21		Cuesta de Cura	SX		Extension
CRSX24-31A	1059.40	1063.35	3.9	3.4	1.02	6.3	456	2346	71	47424	3.2	3.49	4.03	13.78		Cuesta de Cura	SX		Extension
CRSX24-31B	546.50	551.00	4.5	3.4	3.23	11.7	96	3870	523	1261	1.4	3.42	14.51	15.39		Caracol	SX	Y	Sulphide
CRSX24-31B	602.00	612.50	10.5	8.6	8.41	15.6	172	8932	1527	3136	1.7	8.75	88.31	91.84	0.6m @ 106.16g/t AuEq (105g/t Au, 103g/t Ag, 0.02% Cu, 0.11% Pb, 0.05% Zn)	Caracol	SX	Y	Sulphide
CRSX24-31B	632.00	642.50	10.5	8.4	1.03	1.9	64	1545	60	410	2.7	1.08	10.85	11.31		Caracol	SX	Y	Sulphide



CRSX24-31B	644.00	645.50	1.5	1.2	1.14	0.9	72	367	21	492	1.0	1.17	1.70	1.76		Caracol	SX	Y	Sulphide
CRSX24-31B	657.50	659.00	1.5	1.2	3.12	4.5	110	780	78	1945	2.0	3.25	4.68	4.88		Caracol	SX	Y	Sulphide
CRSX24-31B	668.00	669.50	1.5	1.2	1.14	3.7	140	2470	132	1710	1.0	1.26	1.71	1.89		Caracol	SX	Y	Sulphide
CRSX24-31B	735.50	737.00	1.5	1.2	1.78	8.6	230	238	169	8960	1.0	2.36	2.67	3.53		Indidura	SX		Extension
CRSX24-31B	746.00	747.50	1.5	1.2	1.74	3.8	221	956	58	1525	1.0	1.89	2.60	2.83		Indidura	SX		Extension
CRSX24-31B	759.70	760.20	0.5	0.4	3.17	40.8	823	16400	6130	37400	1.0	5.80	1.59	2.90		Indidura	SX		Extension
CRSX24-31B	774.45	775.50	1.0	0.9	5.24	32.7	1500	4230	394	30700	7.0	7.34	5.50	7.71		Indidura	SX		Extension
CRSX24-31B	818.95	824.00	5.0	4.1	1.87	9.9	773	1381	42	4977	5.4	2.33	9.45	11.79	0.5m @ 16.64g/t AuEq (13.7g/t Au, 70.6g/t Ag, 0.57% Cu, 0.01% Pb, 2.77% Zn)	Indidura	TRSX		Extension
CRSX24-31B	881.50	885.20	3.7	3.0	1.11	2.5	122	1197	26	990	5.5	1.20	4.10	4.45		Cuesta de Cura	SX		Extension
CRSX24-31B	901.40	903.00	1.6	1.3	1.10	1.2	136	61	7	205	4.0	1.14	1.76	1.83		Cuesta de Cura	SX		Extension
CRSX24-31B	925.75	940.70	15.0	12.2	4.57	19.4	761	3863	402	25604	6.1	6.16	68.25	92.14	0.8m @ 55.8g/t AuEq (51.1g/t Au, 44.3g/t Ag, 0.16% Cu, 0.04% Pb, 8.08% Zn) 0.7m @ 15.26g/t AuEq (10.6g/t Au, 35.5g/t Ag, 0.1% Cu, 0.12% Pb, 8.28% Zn)	Cuesta de Cura	SX		Extension
CRSX24-31B	960.75	961.30	0.5	0.4	2.92	17.3	755	4170	255	8160	1.0	3.63	1.61	2.00		Cuesta de Cura	SX		Extension
CRSX24-31B	1043.00	1044.50	1.5	1.2	8.62	61.1	267	290	9	28200	3.0	10.75	12.93	16.13		Cuesta de Cura	SX		Extension
CRSX24-31B	1092.05	1097.50	5.5	4.3	3.10	2.8	174	614	27	15019	0.5	3.89	16.88	21.21		Cuesta de Cura	SX		Extension
CRSX24-31C	552.50	557.95	5.5	4.1	3.90	16.1	95	3652	1420	1386	2.2	4.17	21.28	22.74		Caracol	TRSX	Y	Sulphide
CRSX24-31C	607.80	626.00	18.2	14.3	2.16	7.0	95	3761	430	1290	1.4	2.31	39.38	41.97		Caracol	SX	Y	Sulphide
CRSX24-31C	641.00	642.50	1.5	1.2	1.18	1.0	66	634	30	604	1.0	1.22	1.76	1.82		Caracol	SX	Y	Sulphide
CRSX24-31C	650.00	663.50	13.5	11.5	2.09	3.6	74	974	532	1122	1.9	2.19	28.23	29.58		Caracol	SX	Y	Sulphide
CRSX24-31C	672.50	674.00	1.5	1.2	1.10	3.4	71	5020	314	1505	1.0	1.20	1.64	1.80		Caracol	SX	Y	Sulphide
CRSX24-31C	694.50	696.00	1.5	1.2	7.26	8.0	249	3800	103	1905	1.0	7.48	10.89	11.22		Indidura	SX	Y	Extension
CRSX24-31C	710.00	711.50	1.5	1.2	2.51	59.2	384	1615	12650	26400	4.0	4.98	3.77	7.46		Indidura	SX		Extension
CRSX24-31C	742.00	748.00	6.0	4.7	1.99	2.8	145	887	64	1251	2.3	2.11	11.96	12.65		Indidura	SX		Extension
CRSX24-31C	793.70	797.50	3.8	2.9	1.71	2.6	120	887	117	1964	9.9	1.85	6.49	7.04		Indidura	SX		Extension
CRSX24-31C	834.00	839.10	5.1	4.4	2.72	7.9	431	1272	100	29494	14.1	4.32	13.88	22.05		834 - 836.1 Indidura 836.1 - 839.1 Cuesta de Cura	TRSX SX		Extension
CRSX24-31C	868.50	876.25	7.8	5.8	2.34	3.1	138	1325	31	2166	5.9	2.50	18.10	19.35		Cuesta de Cura	SX		Extension
CRSX24-31C	926.00	927.50	1.5	1.2	1.10	0.6	71	11	3	1620	2.0	1.20	1.65	1.79		Cuesta de Cura	SX		Extension
CRSX24-31C	964.50	966.00	1.5	1.2	1.14	3.7	847	70	11	869	7.0	1.34	1.71	2.01		Cuesta de Cura	SX		Extension
CRSX24-31C	979.50	981.00	1.5	1.1	1.59	3.3	201	3010	34	20400	1.0	2.66	2.39	3.99		Cuesta de Cura	SX		Extension
CRSX24-31C	984.00	985.50	1.5	1.1	1.26	1.1	81	269	13	11200	1.0	1.83	1.88	2.74		Cuesta de Cura	SX		Extension
CRSX24-31C	1074.55	1076.00	1.5	1.1	7.29	19.0	936	23663	432	132466	1.0	14.16	10.56	20.53		Cuesta de Cura	SX		Extension
CRSX24-32	390.00	391.50	1.5	1.0	1.61	10.2	85	1445	2640	1075	2.0	1.83	2.42	2.75		Caracol	SX	Y	Sulphide
CRSX24-32	401.00	444.00	43.0	27.3	2.14	8.7	106	2368	1308	3968	1.3	2.42	92.12	104.06	1.5m @ 16.97g/t AuEq (15.65g/t Au, 49.4g/t Ag, 0.03% Cu, 1.12% Pb, 1.38% Zn)	Caracol	SX	Y	Sulphide
CRSX24-32A	538.30	542.50	4.2	3.2	1.62	13.5	126	1494	168	6749	3.3	2.02	6.79	8.47		Caracol	538.3 - 539.1 TRSX 539.1 - 542.5 SX	Y	Sulphide
CRSX24-32A	742.00	743.50	1.5	1.0	8.30	0.8	45	83	40	1310	1.0	8.38	12.45	12.57		Indidura	SX		Extension
CRSX24-32B	444.00	481.00	37.0	23.9	1.06	6.6	81	1241	872	3502	2.2	1.28	39.21	47.53		Caracol	SX	Y	Sulphide
CRSX24-32B	517.30	519.00	1.7	1.3	1.77	20.3	142	895	271	1460	1.0	2.06	3.01	3.51		Caracol	TRSX	Y	Sulphide
CRSX24-32B	540.15	544.50	4.4	3.5	3.18	14.1	175	2130	452	11521	3.0	3.77	13.85	16.41		540.15 - 542 Breccia 542 - 544.5 Caracol	540.15 - 542 TROH 542 - 544.5 TRSX	Y	Sulphide
CRSX24-32B	648.05	649.50	1.5	1.2	1.23	1.8	64	173	59	911	1.0	1.29	1.78	1.87		Caracol	SX		Sulphide
CRSX24-32B	729.35	734.80	5.4	4.4	1.10	13.8	178	859	199	3350	2.2	1.46	6.01	7.94		729.35 - 730.6 FG Intrusives - hdb-bi-pl 730.6 - 734.8 Indidura	729.35 - 729.4 SX 729.4 - 734.8 TRSX		Extension

CRSX24-32D	504.60	509.40	4.8	3.4	1.09	8.8	98	527	669	2687	2.5	1.31	5.24	6.28	Caracol	TROH	Y	Sulphide
CRSX24-32D	511.00	518.50	7.5	5.3	1.01	6.6	110	378	171	1237	1.3	1.14	7.56	8.55	Caracol	TRXS	Y	Sulphide
CRSX24-32D	549.20	549.80	0.6	0.4	14.45	125.0	385	1605	2130	8180	8.0	16.17	8.67	9.70	Caracol	TRXS	Y	Sulphide
CRSX24-32D	569.00	570.30	1.3	0.9	1.26	2.3	139	108	36	1305	2.0	1.35	1.64	1.75	Caracol	SX	Y	Sulphide
CRSX24-32D	763.30	768.50	5.2	3.1	1.31	12.0	475	1108	541	9009	18.7	1.97	6.82	10.26	Indidura	763.3 - 767.3 SX 767.3 - 768.5 TRXS		Extension
CRSX24-32D	861.60	862.95	1.4	0.8	1.29	9.3	705	250	85	2830	7.0	1.63	1.73	2.20	Indidura	SX		Extension
CRSX24-32D	986.70	987.20	0.5	0.3	6.03	10.6	466	6940	101	54100	7.0	8.88	3.02	4.44	Cuesta de Cura	SX		Extension
CRSX24-34	457.20	459.30	2.1	1.7	1.21	14.8	83	1799	1855	4939	1.1	1.60	2.54	3.36	Caracol	457.22 - 459.3 OX	Y	Sulphide
CRSX24-34A	539.30	552.00	12.7	10.8	2.73	20.1	296	719	798	5098	3.4	3.18	34.70	40.42	Caracol	539.3 - 545.5 TROH 545.5 - 552 TROL	Y	Sulphide
CRSX24-34A	562.50	573.50	11.0	8.4	1.26	4.4	118	601	98	3618	1.3	1.45	13.88	15.99	Caracol	TRXS	Y	Sulphide
CRSX24-34A	581.00	591.50	10.5	9.0	2.46	6.9	110	848	75	1909	1.3	2.62	25.86	27.50	Caracol	SX	Y	Sulphide
CRSX24-34A	600.00	619.00	19.0	16.1	1.15	4.9	150	754	103	1520	2.6	1.28	21.82	24.25	Caracol 600 - 601.1 601.1 - 619	600 - 601.1 SX 601.1 - 619 OX	Y	Sulphide
CRSX24-34A	643.00	646.00	3.0	2.6	1.14	6.7	245	378	71	897	1.5	1.27	3.41	3.82	Caracol	TROL	Y	Sulphide
CRSX24-34A	669.03	670.23	1.2	1.0	1.75	9.0	203	380	101	3170	2.0	1.98	2.09	2.38	Caracol	TROL	Y	Sulphide
CRSX24-34A	698.68	701.38	2.7	2.1	6.40	47.5	1572	767	438	29285	2.3	8.23	17.29	22.21	698.68 - 699 Caracol 699 - 701.38 Indidura	698.68 - 698.9 TRXS 698.9 - 701.38 TROH	Y	Sulphide
CRSX24-34A	720.25	723.50	3.3	2.8	2.70	3.5	243	184	28	910	3.5	2.81	8.76	9.15	Indidura	TROH	Y	Extension
CRSX24-34A	775.60	788.02	12.4	10.6	3.15	5.0	234	924	141	1950	1.3	3.34	39.07	41.43	775.6 - 776.25 Indidura 776.25 - 788.02 FG Intrusives - hdb-bi-pl	775.6 - 776.25 TROH 776.25 - 787.84 SX 787.84 - 788.02 TRXS	Y	Extension
CRSX24-34A	794.20	797.00	2.8	2.4	2.07	41.8	432	585	2290	4221	7.3	2.89	5.79	8.11	FG Intrusives - hdb-bi-pl	SX		Extension
CRSX24-34A	854.90	856.50	1.6	1.4	1.09	5.4	260	1070	136	13400	16.0	1.85	1.74	2.96	Indidura	SX		Extension
CRSX24-34A	865.70	868.30	2.6	1.9	1.25	36.1	1006	6230	401	39246	21.5	3.75	3.25	9.74	Indidura	SX		Extension
CRSX24-34B	483.50	485.00	1.5	1.2	2.09	2.6	82	2580	319	1515	2.0	2.19	3.14	3.28	Caracol	SX	Y	Sulphide
CRSX24-34B	496.90	498.50	1.6	1.3	1.76	18.9	177	493	2160	2310	1.0	2.12	2.82	3.39	Caracol	SX	Y	Sulphide
CRSX24-34B	516.00	518.00	2.0	1.6	1.09	2.0	49	851	310	917	2.0	1.16	2.18	2.31	Caracol	SX	Y	Sulphide
CRSX24-34B	527.50	532.00	4.5	3.7	1.25	4.6	99	2221	693	1449	0.8	1.38	5.63	6.21	Caracol	SX	Y	Sulphide
CRSX24-34B	543.80	552.50	8.7	7.0	4.99	21.3	338	1077	411	3840	5.0	5.41	43.41	47.03	Caracol	543.8 - 544.3 SX 544.3 - 552.5 TROH	Y	Sulphide
CRSX24-34B	559.00	560.85	1.9	1.5	6.52	12.1	205	518	399	2680	4.0	6.78	12.06	12.54	Caracol	TROH	Y	Sulphide
CRSX24-34B	567.75	569.50	1.8	1.4	1.14	2.9	136	1280	60	1350	1.0	1.23	1.99	2.16	Caracol	TROL	Y	Sulphide
CRSX24-34B	577.00	593.10	16.1	13.1	1.35	4.4	193	294	67	3284	4.3	1.54	21.70	24.75	Caracol	TROL	Y	Sulphide
CRSX24-34B	604.50	606.00	1.5	1.2	1.60	1.1	57	134	32	331	1.0	1.63	2.40	2.45	Caracol	TROL	Y	Sulphide
CRSX24-34B	614.50	619.00	4.5	3.6	1.80	6.7	177	545	82	2090	2.3	1.97	8.10	8.87	Caracol	TRXS	Y	Sulphide
CRSX24-34B	630.50	640.50	10.0	8.1	1.01	2.6	128	194	40	870	1.6	1.09	10.14	10.91	Caracol	TRXS	Y	Sulphide
CRSX24-34B	664.00	665.65	1.6	1.3	2.11	11.9	302	223	82	2720	3.0	2.37	3.48	3.92	Caracol	664 - 665.6 TRXS 665.6 - 665.65 TROH	Y	Sulphide
CRSX24-34B	691.30	691.80	0.5	0.4	4.33	84.7	2550	886	470	20900	1.0	6.69	2.17	3.35	Indidura	TRXS	Y	Extension
CRSX24-34B	705.60	706.60	1.0	0.8	2.64	43.6	1845	394	554	53000	1.0	6.01	2.64	6.01	Indidura	TROL	Y	Extension
CRSX24-34B	716.25	722.00	5.8	4.7	1.91	7.8	211	146	83	2001	2.8	2.13	10.99	12.24	Indidura	SX	Y	Extension

														(12.05g/t Au, 34.8g/t Ag, 0.05% Cu, 0.04% Pb, 0.19% Zn)														
CRSX24-34B	733.80	737.00	3.2	2.6	1.10	7.0	166	138	157	1794	5.2	1.29	3.51	4.13	Indidura	TRSX 748.2 - 751.3 TROL	Y	Extension										
CRSX24-34B	748.20	773.00	24.8	20.3	1.66	10.4	460	600	247	12724	3.6	2.47	41.09	61.33	Indidura	751.3 - 757.3 SX 757.3 - 771.9 TRSX 771.9 - 773 SX	Y	Extension										
CRSX24-34B	791.00	793.00	2.0	1.9	2.40	2.8	122	81	40	1407	7.5	2.52	4.80	5.04	Indidura	SX	Y	Extension										
CRSX24-34B	802.50	809.80	7.3	5.9	1.30	6.7	329	159	52	3925	4.2	1.62	9.49	11.80	Indidura	SX		Extension										
CRSX24-34B	815.00	816.50	1.5	1.2	1.09	3.0	266	17	15	952	13.0	1.21	1.64	1.81	Indidura	SX		Extension										
CRSX24-34B	819.60	821.00	1.4	1.1	1.82	2.4	85	373	27	2560	9.0	1.99	2.55	2.78	Indidura	SX		Extension										
CRSX24-34B	843.00	847.95	5.0	4.1	2.20	31.9	996	2620	1670	24800	25.0	3.98	10.89	19.69	843 - 846 No Recovery 846 - 847.95 Indidura	843 - 846 NR 846 - 847.95 SX		Extension										
CRSX24-34B	881.20	882.50	1.3	1.1	10.80	8.3	159	2450	206	12300	15.0	11.53	14.04	14.99	1.3m @ 11.53g/t AuEq (10.8g/t Au, 8.3g/t Ag, 0.02% Cu, 0.02% Pb, 1.23% Zn)	Cuesta de Cura	SX		Extension									
CRSX24-34B	900.50	901.55	1.0	0.9	2.60	1.6	189	240	16	87	15.0	2.65	2.73	2.78	Cuesta de Cura	SX		Extension										
CRSX24-34B	960.30	960.80	0.5	0.4	3.32	18.4	495	2940	158	20200	7.0	4.60	1.66	2.30	Cuesta de Cura	SX		Extension										
CRSX24-34B	1022.45	1022.95	0.5	0.4	3.58	16.0	556	3590	98	78700	5.0	7.71	1.79	3.86	Cuesta de Cura	SX		Extension										
CRSX24-36B	1092.70	1093.25	0.5	0.5	3.29	47.8	596	11250	4390	86400	9.0	8.32	1.81	4.58	Cuesta de Cura	SX		Extension										
CRSX24-36B	1130.48	1131.90	1.4	1.3	1.10	11.4	2350	58	14	16100	0.5	2.34	1.56	3.32	Cuesta de Cura	SX		Extension										
CRSX24-36B	1160.00	1183.50	23.5	21.4	1.12	34.2	5874	160	189	1541	5.5	2.37	26.24	55.77	1160 - 1176.4 Cuesta de Cura 1176.4 - 1176.95 FG Intrusives - hdb-bi-pl 1176.95 - 1183.5 Cuesta de Cura La Peña	1160 - 1180.1 SX 1180.5 - 1183.5 SX		Extension										
CRSX24-36B	1245.10	1245.80	0.7	0.6	3.17	13.0	462	5110	176	28100	1.0	4.77	2.22	3.34	La Peña	SX		Extension										
CRSX24-37A	627.50	684.00	56.5	48.6	2.90	6.7	147	2511	342	3962	1.5	3.14	163.79	177.24	2m @ 16.55g/t AuEq (15.18g/t Au, 36.1g/t Ag, 0.05% Cu, 0.26% Pb, 2.47% Zn) 1.5m @ 29.52g/t AuEq (28.9g/t Au, 40.7g/t Ag, 0.02% Cu, 0.04% Pb, 0.45% Zn)	627.5 - 661.8 Caracol 661.8 - 665 Breccia 665 - 667.4 Caracol 667.4 - 681.05 Breccia 681.05 - 684 Indidura	627.5 - 668.1 SX 668.1 - 681.05 TROH 681.05 - 684 SX	Y	Sulphide									
CRSX24-37A	698.50	700.00	1.5	1.3	1.02	17.3	129	1145	3630	3780	1.0	1.54	1.52	2.31	Indidura	SX	Y	Extension										
CRSX24-37A	733.00	734.50	1.5	1.3	1.02	6.1	170	758	694	4520	9.0	1.35	1.52	2.03	Indidura	SX	Y	Extension										
CRSX24-37A	758.50	759.70	1.2	1.0	1.88	2.9	40	441	49	934	2.0	1.97	2.26	2.36	Indidura	SX		Extension										
CRSX24-37A	774.50	776.00	1.5	1.3	1.63	5.5	258	2270	90	12000	3.0	2.32	2.45	3.48	Indidura	SX		Extension										
CRSX24-37A	837.00	838.50	1.5	1.1	1.42	1.8	256	413	20	8500	21.0	1.89	2.13	2.84	Indidura	SX		Extension										
CRSX24-37A	845.90	852.50	6.6	5.0	6.72	7.7	291	3379	45	7881	23.5	7.24	44.36	47.77	0.5m @ 83.39g/t AuEq (78.6g/t Au, 51g/t Ag, 0.1% Cu, 0.03% Pb, 8.24% Zn)	Indidura	SX		Extension									
CRSX24-37A	873.95	876.25	2.3	1.7	1.11	14.5	568	2429	97	8598	9.7	1.78	2.56	4.10	Cuesta de Cura	SX		Extension										
CRSX24-37A	935.20	937.50	2.3	2.0	2.41	30.3	651	999	621	21118	5.7	3.91	5.54	8.98	Cuesta de Cura	SX		Extension										
CRSX24-37A	958.70	960.00	1.3	1.1	1.18	31.5	181	2430	404	944	10.0	1.62	1.53	2.11	Cuesta de Cura	SX		Extension										
CRSX24-37A	997.55	999.05	1.5	1.1	2.95	6.6	736	628	46	40600	1.0	5.12	4.43	7.68	Cuesta de Cura	SX		Extension										
CRSX24-37A	1053.05	1053.57	0.5	0.4	3.10	7.0	818	2760	30	60300	0.5	6.25	1.61	3.25	Cuesta de Cura	SX		Extension										
CRSX24-37B	602.50	650.30	47.8	40.2	3.55	10.8	159	2584	839	5214	3.1	3.89	169.76	186.00	1.5m @ 21.44g/t AuEq (21.2g/t Au, 10.4g/t Ag, 0.01% Cu, 0.05% Pb, 0.3% Zn) 1.1m @ 15.6g/t AuEq (15.1g/t Au,	602.5 - 607.65 Caracol 607.65 - 611.35 Breccia 611.35 - 650.3 Caracol	602.5 - 607.65 TRSX 607.65 - 611.35 OX 611.35 - 619.3 TRSX	Y	Sulphide									



																					22.6g/t Ag, 0.03% Cu, 0.1% Pb, 0.55% Zn) 1.8m @ 11.03g/t AuEq (10.3g/t Au, 19.6g/t Ag, 0.05% Cu, 0.05% Pb, 1.27% Zn)	619.3 - 650.3 SX		
CRSX24-37B	661.00	670.20	9.2	7.7	1.58	4.1	91	1690	95	1125	1.3	1.68	14.54	15.45							Caracol	SX	Y	Sulphide
CRSX24-37B	679.35	684.50	5.1	4.3	2.16	6.0	197	401	280	5561	1.1	2.54	11.14	13.09							Caracol	TRSX	Y	Extension
CRSX24-37B	694.60	698.50	3.9	3.3	5.42	23.8	448	6900	926	15475	4.3	6.55	21.13	25.53							Caracol	TRSX	Y	Extension
CRSX24-37B	752.50	754.00	1.5	1.3	2.07	6.8	104	3870	135	1595	2.0	2.25	3.11	3.37							Indidura	SX		Extension
CRSX24-37B	840.00	841.50	1.5	1.1	2.13	3.0	190	232	54	5850	33.0	2.48	3.20	3.72							Indidura	SX		Extension
CRSX24-37B	852.40	854.00	1.6	1.2	1.13	3.0	95	246	44	2110	17.0	1.28	1.80	2.04							Indidura	SX		Extension
CRSX24-37B	876.36	876.86	0.5	0.4	4.64	9.0	1485	131	31	1055	8.0	4.99	2.32	2.50							Cuesta de Cura	SX		Extension
CRSX24-37B	898.70	899.40	0.7	0.6	14.25	73.0	1370	14050	1165	25200	5.0	16.56	9.97	11.59							Cuesta de Cura	SX		Extension
CRSX24-37B	958.00	959.50	1.5	1.3	1.99	6.5	233	877	42	2410	30.0	2.22	2.99	3.32							Cuesta de Cura	SX		Extension
CRSX24-37B	1118.70	1119.25	0.5	0.5	8.55	3.0	911	80	25	188000	0.5	17.95	4.70	9.87							Cuesta de Cura	SX		Extension
CRSX24-37B	1153.80	1154.10	0.5	0.4	7.13	11.2	971	19800	89	177000	0.5	16.09	3.57	8.05							La Peña	SX		Extension

Criteria: Cut off grade 1g/t Au, minimum length 1.5m, maximum consecutive internal waste 6m, if Au grade x length > 1.5 the composite will be added

Price Assumptions: Au = 1750usd oz, Ag = 21usd oz, Cu = 3.5usd lb, Pb = 0.9usd lb, Zn = 1.2usd lb. See "Gold Equivalent Calculations" for additional information.

FR= Fresh Rock, OX= Oxide, TROL= Transition Oxide Low, TROH= Transition Oxide High, MX= Mixed, TRSX= Transition Sulphide, SX= Sulphide

Table 2: Camino Rojo Sulphide Extension Drill Hole Collars

HOLE-ID	Easting	Northing	Elevation	Azimuth	Dip	Depth (m)
CRSX23-28	243384.3	2676158.3	1956.5	153.8	-61.89	1050.0
CRSX24-25E	243501.5	2676087.5	1954.6	127.5	-60.00	1200.4
CRSX24-25F	243501.5	2676087.5	1954.6	140.0	-72.00	1250.1
CRSX24-25G	243501.5	2676087.5	1954.6	140.0	-72.00	1224.1
CRSX24-30	243402.7	2676157.9	1956.4	146.5	-63.60	1030.7
CRSX24-30B	243402.7	2676157.9	1956.4	149.6	-56.75	1000.3
CRSX24-31A	243665.5	2676153.9	1953.4	148.4	-63.04	1080.0
CRSX24-31B	243665.5	2676153.9	1953.4	134.4	-65.10	1100.7
CRSX24-31C	243665.5	2676153.9	1953.4	147.6	-71.54	1181.5
CRSX24-32	244056.7	2676258.6	1948.2	110.0	-79.20	444.0
CRSX24-32A	244056.7	2676258.6	1948.2	102.3	-61.80	986.3
CRSX24-32B	244056.7	2676258.6	1948.2	125.2	-66.55	999.5
CRSX24-32D	244056.7	2676258.6	1948.2	87.0	-56.79	1003.0
CRSX24-33	243550.1	2676266.6	1955.5	180.0	-88.60	410.5
CRSX24-33A	243550.1	2676266.6	1955.5	173.1	-67.92	920.0
CRSX24-33C	243550.1	2676266.6	1955.5	137.0	-63.89	895.6
CRSX24-33C-1	243550.1	2676266.6	1955.5	137.0	-63.89	661.0
CRSX24-34	243889.3	2676286.6	1949.7	155.0	-72.78	459.3
CRSX24-34A	243889.3	2676286.6	1949.6	139.0	-62.00	1002.7
CRSX24-34B	243889.3	2676286.6	1949.6	179.5	-67.83	1029.5
CRSX24-36B	243305.3	2676111.1	1957.9	151.7	-61.10	1306.2
CRSX24-37A	243682.3	2676269.9	1953.9	145.6	-64.12	1125.0
CRSX24-37B	243682.3	2676269.9	1953.9	130.0	-63.60	1172.0